



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/698,219	10/30/2000	Taichi Kobayashi	Q61467	6374

7590 03/28/2005

SUGHRUE, MION, ZINN, MACPEAK & SEAS  
2100 Pennsylvania Avenue, N.W.  
Washington, DC 20037-3202

EXAMINER

GOFF II, JOHN L

ART UNIT	PAPER NUMBER
----------	--------------

1733

DATE MAILED: 03/28/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

## Office Action Summary

Application No.

09/698,219

Applicant(s)

KOBAYASHI ET AL.

Examiner

John L. Goff

Art Unit

1733

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 10 January 2005.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-4 and 7-32 is/are pending in the application.
- 4a) Of the above claim(s) 12-32 is/are withdrawn from consideration.
- 5) ☒ Claim(s) 1 and 2 is/are allowed.
- 6) ☒ Claim(s) 3, 4, 7(3), and 8-11 is/are rejected.
- 7) ☒ Claim(s) 7(1) is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some \* c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |                                                                                                                        |                                                                                         |
|------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)                                                       | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                                   | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)             |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____                                                |

### **DETAILED ACTION**

1. This action is in response to the amendment filed on 1/10/05. In view of the amendment to claim 8, the previous 35 U.S.C. 102/103 rejection over the admitted prior art is withdrawn.
2. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

#### ***Claim Rejections - 35 USC §103***

3. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).
4. Claims 3, 4, and 7(3) are rejected under 35 U.S.C. 103(a) as being unpatentable over any one of Kusano et al. (U.S. Patent 5,466,424), Yoshikawa et al. (U.S. Patent 6,046,403), or Ryan (U.S. Patent 3,030,290) in view of Kreil et al. (U.S. Patent 4,594,262).

Kusano et al. disclose a corona discharge surface treating method for a fluorine resin, e.g. ethylene-tetrafluoroethylene copolymer (ETFE), comprising subjecting the ETFE to the corona discharge in an atmosphere consisting essentially of nitrogen (i.e. inert gas) to impart radical-generating functional groups to the surface of the resin (Column 1, lines 8-10 and Column 4,

Art Unit: 1733

lines 6-7, 18-21 and 33-35). Yoshikawa et al. disclose similar to Kusano et al., i.e. subjecting a fluorine (e.g. ETFE) resin to a corona discharge in a nitrogen (i.e. inert gas) atmosphere to activate the surface of the resin (Column 5, lines 27-30). Ryan discloses similar to Kusano et al., i.e. subjecting a fluorine resin to a corona discharge in a nitrogen (i.e. inert gas) atmosphere to impart radical-generating functional groups to the surface of the resin (Column 1, lines 47-51 and Column 2, lines 18-21). Neither Kusano et al., Yoshikawa et al., nor Ryan specifically teach the oxygen content of the nitrogen gas atmosphere, it being noted a nitrogen gas atmosphere would intrinsically have some small oxygen concentration above 0 parts per million (ppm). One of ordinary skill in the art at the time the invention was made would have readily appreciated that the nitrogen (i.e. inert gas) atmosphere taught by any one of Kusano et al., Yoshikawa et al., or Ryan would contain an oxygen concentration of 100 ppm or less and preferably between 10 and 40 ppm as it was conventional and well taken in the art that a nitrogen (i.e. inert gas) atmosphere is defined as having a small concentration of oxygen of 100 ppm or less but greater than 5 ppm as shown for example by Kreil et al.

Kreil et al. disclose an adhesion promoting, surface treating process in a nitrogen (i.e. inert gas) atmosphere. Kreil et al. teach that by nitrogen (i.e. inert gas) atmosphere is meant an environment comprising nitrogen and no more than 100 ppm of oxygen and preferably between 10 and 40 ppm oxygen, it being noted concentrations below 5 ppm are unduly expensive (Column 1, lines 9-10 and Column 3, lines 28-32 and 66-68 and Column 4, lines 1-4 and Column 5, lines 2-4).

Art Unit: 1733

5. Claims 3, 4, 7(3), 8, and 11 are rejected under 35 U.S.C. 103(a) as being unpatentable over the admitted prior art (Specification pages 1 and 2) in view of any one of Kusano et al., Yoshikawa et al., or Ryan and Kreil et al.

The admitted prior art is directed to a laminate for use in bonding to the surface of a building material or a solar cell for surface protection, impartment of stain resistance, sealing and the like. The admitted prior art teaches the laminate comprises a fluorine resin bonded to a crosslinking elastic adhesive body, e.g. ethylene-vinyl acetate copolymer (EVA) or the like. The admitted prior art teaches subjecting the fluorine resin to a corona discharge prior to bonding with the crosslinking adhesive body to produce radical-generating functional groups on and within the surface of the fluorine resin. The radical-generating functional groups on and within the surface of the fluorine resin create a strong bond between the fluorine resin and the crosslinking adhesive body (Specification page 1, lines 22-37 and page 2, lines 1-7). The admitted prior art is silent as to any particular atmosphere for performing the corona discharge process. It would have been obvious to one of ordinary skill in the art at the time the invention as made to perform the corona discharge process taught by the admitted prior art in an atmosphere comprising nitrogen, i.e. an inert gas, as it was well known and conventional in the art to do so to produce radical-generating functional groups on the surface of a fluorine resin as shown for example by any one of Kusano et al., Yoshikawa et al., or Ryan. Kusano et al., Yoshikawa et al., and Ryan are described above in full detail above.

The admitted prior art as modified by any one of Kusano et al., Yoshikawa et al., or Ryan do not specifically teach the oxygen content of the nitrogen (i.e. inert gas) atmosphere, it being noted a nitrogen (i.e. inert gas) atmosphere would intrinsically have some small oxygen

Art Unit: 1733

concentration above 0 parts per million (ppm). One of ordinary skill in the art at the time the invention was made would have readily appreciated that the nitrogen (i.e. inert gas) atmosphere taught by the admitted prior art as modified by any one of Kusano et al., Yoshikawa et al., or Ryan would contain an oxygen concentration of 100 ppm or less and preferably between 10 and 40 ppm as it was conventional and well taken in the art that a nitrogen (i.e. inert gas) atmosphere is defined as having a small concentration of oxygen of 100 ppm or less but greater than 5 ppm as shown for example by Kreil et al. Kreil et al. is described above in full detail.

6. Claim 9 is rejected under 35 U.S.C. 103(a) as being unpatentable over the admitted prior art, any one of Kusano et al., Yoshikawa et al., or Ryan, and Kreil et al. as applied above in paragraph 5, and further in view of Krause et al. (U.S. Patent 5,958,532).

The admitted prior art, any one of Kusano et al., Yoshikawa et al., or Ryan, and Kreil et al. teach all of the limitations in claim 9 as applied above except for a specific teaching of when the elastic adhesive body is crosslinked, it being noted it appears that in order to bond the fluorine resin to the elastic adhesive body contacting/laminating must occur before the elastic adhesive body is cured. In any event, it would have been well within the purview of one of ordinary skill in the art at the time the invention was made to crosslink the adhesive body taught by the admitted prior art as modified by any one of Kusano et al., Yoshikawa et al., or Ryan and Kreil et al. after contacting/laminating with the fluorine resin as this was a well known and conventional technique in the art as shown for example by Krause et al. and only the expected results would be achieved.

Krause et al. are directed to bonding fluoropolymer resin layers to thermosetting or thermoplastic elastomer layers wherein the fluoropolymer layers undergo corona discharge

Art Unit: 1733

treatment in air to increase their bond strength. Krause et al. teach providing a layer of fluoropolymer resin, such as ETFE, subjecting the fluoropolymer layer to a corona discharge treatment in air, clamping/laminating the fluoropolymer layer to an elastomer layer, and heat treating the clamped layers at 180 °C for 30 minutes to cure/crosslink the elastomer layer and strengthen the bond between the fluoropolymer layer and the elastomer layer (Column 3 lines 64-67 and Column 5, lines 19-27 and 44-47 and Column 11, lines 3-7 and 10-12).

7. Claim 10 is rejected under 35 U.S.C. 103(a) as being unpatentable over the admitted prior art, any one of Kusano et al., Yoshikawa et al., or Ryan, and Kreil et al. as applied above in paragraph 5, and further in view of Kataoka et al. (U.S. Patent 6,307,145).

The admitted prior art as modified by any one of Kusano et al., Yoshikawa et al., or Ryan and Kreil et al. teach all of the limitations in claim 10 as applied above except for a teaching of how the elastic adhesive body (EVA) is crosslinked. One of ordinary skill in the art at the time the invention was made would have readily appreciated crosslinking the elastic adhesive body taught by the admitted prior art as modified by any one of Kusano et al., Yoshikawa et al., or Ryan and Kreil et al. using a radical initiator such as organic peroxide as it was well known in the same art to crosslink EVA in this manner as shown for example by Kataoka et al. to prevent deformation or creep in the EVA at high temperatures.

Kataoka et al. are directed to a solar cell including a layer of crosslinked EVA. Kataoka et al. teach the EVA is crosslinked with an organic peroxide to prevent deformation or creep in the EVA at high temperatures (Column 6, lines 1-3 and 12-15).

*Allowable Subject Matter*

8. Claims 1 and 2 are allowed.
9. Claim 7 is a multiple dependent claim, and thus, claim 7 is objected to as being dependent upon a rejected base claim, i.e. claim 3. However, claim 7 would be allowable if rewritten as dependent from only claim 1 and not claim 3.

10. The following is a statement of reasons for the indication of allowable subject matter:

The claims are allowed for the reasons given in paragraph 11 of the Office Action mailed 10/8/04.

*Response to Arguments*

11. Applicant's arguments filed 1/10/05 have been fully considered but they are not persuasive.

Applicants argue, "However, while Kusano, Yoshikawa, and Ryan teach corona discharge treatment in a nitrogen gas atmosphere, Applicants submit that the references do not mention a gas atmosphere containing nitrogen and a controlled amount of oxygen. Further, Applicants submit that Kusano, Yoshikawa, and Ryan do not disclose or suggest corona discharge treatment in an "inert gas atmosphere," which is the gas atmosphere disclosed in Kreil. Additionally, as stated in the 1.116 Amendment submitted on August 4, 2004, Kreil is directed to treatment of a polyester film by electron beam irradiation. Therefore, Applicants submit that one of ordinary skill in the art at the time the invention was made would not have been motivated to combine Kusano, Yoshikawa, or Ryan with the teachings of Kreil."

As noted by applicants Kusano et al., Yoshikawa et al., and Ryan teach corona discharge in a nitrogen gas atmosphere. A nitrogen gas atmosphere is an "inert gas" atmosphere. Kreil is cited as evidence of what is conventional and well taken in the art as the definition of a nitrogen (i.e. inert gas) atmosphere, i.e. a nitrogen atmosphere is as an environment comprising nitrogen and no more than 100 ppm of oxygen and preferably between 10 and 40 ppm oxygen, it being



Art Unit: 1733

noted concentrations below 5 ppm are unduly expensive. Thus, clearly the nitrogen gas atmospheres taught by Kusano, Yoshikawa, and Ryan being no more than conventional nitrogen gas atmospheres in the art comprise nitrogen and 5 to 100 ppm oxygen as evidenced by Kreil.

Regarding applicants arguments to Kataoka et al., it is noted Kataoka et al. is applied as an exemplary teaching in the same art as the admitted prior art to show it was well known and conventional to crosslink the adhesive body using a radical initiator.

### *Conclusion*

12. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the mailing date of this final action.

13. Any inquiry concerning this communication or earlier communications from the examiner should be directed to **John L. Goff** whose telephone number is **(571) 272-1216**. The examiner can normally be reached on M-F (7:15 AM - 3:45 PM).

Art Unit: 1733

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Blaine Copenheaver can be reached on (571) 272-1156. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



John L. Goff



BLAINE COPENHEAVER  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 1700